


# NARMS – EB 2000

## Veterinary Isolates

**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**




Breakpoint = 64

# NARMS – EB 2000

## Veterinary Isolates


**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**



# NARMS – EB 2000

## Veterinary Isolates

**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**




↓ Breakpoint

# NARMS – EB 2000

## Veterinary Isolates

**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**




⬇ Breakpoint

# NARMS – EB 2000

## Veterinary Isolates

**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**




↓ Breakpoint

# NARMS – EB 2000

## Veterinary Isolates

**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**




⬇ Breakpoint

# NARMS – EB 2000

## Veterinary Isolates


**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**



# NARMS – EB 2000

## Veterinary Isolates

**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**




↓ Breakpoint

# NARMS – EB 2000

## Veterinary Isolates

**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**




⬇ Breakpoint

# NARMS – EB 2000

## Veterinary Isolates


**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**



# NARMS – EB 2000

## Veterinary Isolates

**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**




↓ Breakpoint

# NARMS – EB 2000

## Veterinary Isolates

**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**




⬇ Breakpoint

# NARMS – EB 2000

## Veterinary Isolates

**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**




⬇ Breakpoint

# NARMS – EB 2000

## Veterinary Isolates

**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**




⬇ Breakpoint

# NARMS – EB 2000

## Veterinary Isolates

**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**




⬇ Breakpoint

# NARMS – EB 2000

## Veterinary Isolates

**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**




⬇ Breakpoint

# NARMS – EB 2000

## Veterinary Isolates

**Fig. 28. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Diagnostic)**



↓ Breakpoint